

## Oasis Mango Bliss 10mg

Sample ID: SA-251105-72160  
 Batch: MB03EL  
 Type: Finished Product - Ingestible  
 Matrix: Oil / Liquid - Beverage  
 Unit Mass (g):

Received: 11/06/2025  
 Completed: 11/12/2025



### Summary

Test  
 Cannabinoids

Date Tested  
 11/12/2025

Status  
 Tested

**0.0321 mg/mL**

Total Δ9-THC

**0.0321 mg/mL**

Δ9-THC

**0.0638 mg/mL**

Total Cannabinoids

**Not Tested**

Moisture Content

**Not Tested**

Foreign Matter

**Yes**

Internal Standard  
 Normalization

### Cannabinoids by HPLC-PDA

| Analyte             | LOD<br>(mg/mL) | LOQ<br>(mg/mL) | Result<br>(mg/mL) | Result<br>(%)  | Result<br>(mg/unit) |
|---------------------|----------------|----------------|-------------------|----------------|---------------------|
| CBC                 | 0.00095        | 0.00284        | ND                | ND             | ND                  |
| CBCA                | 0.00181        | 0.00543        | ND                | ND             | ND                  |
| CBCV                | 0.0006         | 0.0018         | ND                | ND             | ND                  |
| CBD                 | 0.00081        | 0.00242        | ND                | ND             | ND                  |
| CBDA                | 0.00043        | 0.0013         | ND                | ND             | ND                  |
| CBDV                | 0.00061        | 0.00182        | ND                | ND             | ND                  |
| CBDVA               | 0.00021        | 0.00063        | ND                | ND             | ND                  |
| CBG                 | 0.00057        | 0.00172        | 0.03171           | 0.00315        | 11.3                |
| CBGA                | 0.00049        | 0.00147        | ND                | ND             | ND                  |
| CBL                 | 0.00112        | 0.00335        | ND                | ND             | ND                  |
| CBLA                | 0.00124        | 0.00371        | ND                | ND             | ND                  |
| CBN                 | 0.00056        | 0.00169        | ND                | ND             | ND                  |
| CBNA                | 0.0006         | 0.00181        | ND                | ND             | ND                  |
| CBT                 | 0.0018         | 0.0054         | ND                | ND             | ND                  |
| Δ4,8-iso-THC        | 0.0067         | 0.02           | NT                | NT             | NT                  |
| Δ8-iso-THC          | 0.0067         | 0.02           | NT                | NT             | NT                  |
| Δ8-THC              | 0.00104        | 0.00312        | ND                | ND             | ND                  |
| Δ8-THCV             | 0.0067         | 0.02           | NT                | NT             | NT                  |
| Δ9-THC              | 0.00076        | 0.00227        | 0.03206           | 0.00318        | 11.4                |
| Δ9-THCA             | 0.00084        | 0.00251        | ND                | ND             | ND                  |
| Δ9-THCV             | 0.00069        | 0.00206        | ND                | ND             | ND                  |
| Δ9-THCVA            | 0.00062        | 0.00186        | ND                | ND             | ND                  |
| exo-THC             | 0.0067         | 0.02           | NT                | NT             | NT                  |
| <b>Total Δ9-THC</b> |                |                | <b>0.0321</b>     | <b>0.00318</b> | <b>11.4</b>         |
| <b>Total</b>        |                |                | <b>0.0638</b>     | <b>0.00633</b> | <b>22.6</b>         |

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = (Spike) Not Recoverable; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA \* 0.877 + Δ9-THC; Total CBD = CBDA \* 0.877 + CBD;



Generated By: Alex Morris  
 Quality Manager  
 Date: 11/12/2025



Tested By: Nicholas Howard  
 Scientist  
 Date: 11/12/2025



ISO/IEC 17025:2017 Accredited  
 Accreditation #108651

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

## OAS-12OZ-5MG-MB - Oasis D9 Seltzer

Sample ID: SA-250619-63808  
 Batch: MB03EL  
 Type: Finished Product - Ingestible  
 Matrix: Oil / Liquid - Beverage  
 Unit Mass (g):

Received: 06/25/2025  
 Completed: 07/02/2025

**Client**  
 cbdMD  
 2101 Westinghouse Blvd  
 Charlotte, NC 28273  
 USA  
 Lic. #: HP315

## Heavy Metals by ICP-MS

| Analyte | LOD (ppm) | LOQ (ppm) | Result (ppm) |
|---------|-----------|-----------|--------------|
| Arsenic | 0.002     | 0.02      | ND           |
| Cadmium | 0.001     | 0.02      | ND           |
| Lead    | 0.002     | 0.02      | ND           |
| Mercury | 0.012     | 0.05      | ND           |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Ryan Bellone  
 Commercial Director  
 Date: 07/02/2025



Tested By: Chris Farman  
 Scientist  
 Date: 06/27/2025

**OAS-120Z-5MG-MB - Oasis D9 Seltzer**

Sample ID: SA-250619-63808  
 Batch: MB03EL  
 Type: Finished Product - Ingestible  
 Matrix: Oil / Liquid - Beverage  
 Unit Mass (g):

Received: 06/25/2025  
 Completed: 07/02/2025

**Client**  
 cbdMD  
 2101 Westinghouse Blvd  
 Charlotte, NC 28273  
 USA  
 Lic. #: HP315

**Pesticides by LC-MS/MS and GC-MS/MS**

| Analyte              | LOD (ppb) | LOQ (ppb) | Result (ppb) | Analyte            | LOD (ppb) | LOQ (ppb) | Result (ppb) |
|----------------------|-----------|-----------|--------------|--------------------|-----------|-----------|--------------|
| Acephate             | 30        | 100       | ND           | Hexythiazox        | 30        | 100       | ND           |
| Acequinocyl          | 30        | 100       | ND           | Imazalil           | 30        | 100       | ND           |
| Acetamiprid          | 30        | 100       | ND           | Imidacloprid       | 30        | 100       | ND           |
| Aldicarb             | 30        | 100       | ND           | Kresoxim methyl    | 30        | 100       | ND           |
| Azoxystrobin         | 30        | 100       | ND           | Malathion          | 30        | 100       | ND           |
| Bifenazate           | 30        | 100       | ND           | Metaxyl            | 30        | 100       | ND           |
| Bifenthrin           | 30        | 100       | ND           | Methiocarb         | 30        | 100       | ND           |
| Boscalid             | 30        | 100       | ND           | Methomyl           | 30        | 100       | ND           |
| Carbaryl             | 30        | 100       | ND           | Mevinphos          | 30        | 100       | ND           |
| Carbofuran           | 30        | 100       | ND           | Myclobutanil       | 30        | 100       | ND           |
| Chloranthraniliprole | 30        | 100       | ND           | Naled              | 30        | 100       | ND           |
| Chlorfenapyr         | 30        | 100       | ND           | Oxamyl             | 30        | 100       | ND           |
| Chlorpyrifos         | 30        | 100       | ND           | Paclobutrazol      | 30        | 100       | ND           |
| Clofentezine         | 30        | 100       | ND           | Permethrin         | 30        | 100       | ND           |
| Coumaphos            | 30        | 100       | ND           | Phosmet            | 30        | 100       | ND           |
| Cypermethrin         | 30        | 100       | ND           | Piperonyl Butoxide | 30        | 100       | ND           |
| Daminozide           | 30        | 100       | ND           | Prallethrin        | 30        | 100       | ND           |
| Diazinon             | 30        | 100       | ND           | Propiconazole      | 30        | 100       | ND           |
| Dichlorvos           | 30        | 100       | ND           | Propoxur           | 30        | 100       | ND           |
| Dimethoate           | 30        | 100       | ND           | Pyrethrins         | 30        | 100       | ND           |
| Dimethomorph         | 30        | 100       | ND           | Pyridaben          | 30        | 100       | ND           |
| Ethoprophos          | 30        | 100       | ND           | Spinetoram         | 30        | 100       | ND           |
| Etofenprox           | 30        | 100       | ND           | Spinosad           | 30        | 100       | ND           |
| Etoxazole            | 30        | 100       | ND           | Spiromesifen       | 30        | 100       | ND           |
| Fenhexamid           | 30        | 100       | ND           | Spirotetramat      | 30        | 100       | ND           |
| Fenoxycarb           | 30        | 100       | ND           | Spiroxamine        | 30        | 100       | ND           |
| Fenpyroximate        | 30        | 100       | ND           | Tebuconazole       | 30        | 100       | ND           |
| Fipronil             | 30        | 100       | ND           | Thiacloprid        | 30        | 100       | ND           |
| Flonicamid           | 30        | 100       | ND           | Thiamethoxam       | 30        | 100       | ND           |
| Fludioxonil          | 30        | 100       | ND           | Trifloxystrobin    | 30        | 100       | ND           |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Ryan Bellone  
 Commercial Director  
 Date: 07/02/2025



Tested By: Anthony Mattingly  
 Scientist  
 Date: 06/30/2025



**KCA Laboratories**  
232 North Plaza Drive  
Nicholasville, KY 40356

+1-833-KCA-LABS  
<https://kcalabs.com>  
KDA Lic.# P\_0058

## Certificate of Analysis

4 of 5

### OAS-120Z-5MG-MB - Oasis D9 Seltzer

Sample ID: SA-250619-63808  
Batch: MB03EL  
Type: Finished Product - Ingestible  
Matrix: Oil / Liquid - Beverage  
Unit Mass (g):

Received: 06/25/2025  
Completed: 07/02/2025

**Client**  
cbdMD  
2101 Westinghouse Blvd  
Charlotte, NC 28273  
USA  
Lic. #: HP315

### Mycotoxins by LC-MS/MS

| Analyte      | LOD (ppb) | LOQ (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------|
| B1           | 1         | 5         | ND           |
| B2           | 1         | 5         | ND           |
| G1           | 1         | 5         | ND           |
| G2           | 1         | 5         | ND           |
| Ochratoxin A | 1         | 5         | ND           |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Ryan Bellone  
Commercial Director  
Date: 07/02/2025

Tested By: Anthony Mattingly  
Scientist  
Date: 06/30/2025

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

## OAS-12OZ-5MG-MB - Oasis D9 Seltzer

Sample ID: SA-250619-63808  
Batch: MB03EL  
Type: Finished Product - Ingestible  
Matrix: Oil / Liquid - Beverage  
Unit Mass (g):

Received: 06/25/2025  
Completed: 07/02/2025

**Client**  
cbdMD  
2101 Westinghouse Blvd  
Charlotte, NC 28273  
USA  
Lic. #: HP315

## Residual Solvents by HS-GC-MS

| Analyte               | LOD (ppm) | LOQ (ppm) | Result (ppm) | Analyte                  | LOD (ppm) | LOQ (ppm) | Result (ppm) |
|-----------------------|-----------|-----------|--------------|--------------------------|-----------|-----------|--------------|
| Acetone               | 167       | 500       | ND           | Ethylene Oxide           | 0.5       | 1         | ND           |
| Acetonitrile          | 14        | 41        | ND           | Heptane                  | 167       | 500       | ND           |
| Benzene               | 0.5       | 1         | ND           | n-Hexane                 | 10        | 29        | ND           |
| Butane                | 167       | 500       | ND           | Isobutane                | 167       | 500       | ND           |
| 1-Butanol             | 167       | 500       | ND           | Isopropyl Acetate        | 167       | 500       | ND           |
| 2-Butanol             | 167       | 500       | ND           | Isopropyl Alcohol        | 167       | 500       | ND           |
| 2-Butanone            | 167       | 500       | ND           | Isopropylbenzene         | 167       | 500       | ND           |
| Chloroform            | 2         | 6         | ND           | Methanol                 | 100       | 300       | ND           |
| Cyclohexane           | 129       | 388       | ND           | 2-Methylbutane           | 10        | 29        | ND           |
| 1,2-Dichloroethane    | 0.5       | 1         | ND           | Methylene Chloride       | 20        | 60        | ND           |
| 1,2-Dimethoxyethane   | 4         | 10        | ND           | 2-Methylpentane          | 10        | 29        | ND           |
| Dimethyl Sulfoxide    | 167       | 500       | ND           | 3-Methylpentane          | 10        | 29        | ND           |
| N,N-Dimethylacetamide | 37        | 109       | ND           | n-Pentane                | 167       | 500       | ND           |
| 2,2-Dimethylbutane    | 10        | 29        | ND           | 1-Pentanol               | 167       | 500       | ND           |
| 2,3-Dimethylbutane    | 10        | 29        | ND           | n-Propane                | 167       | 500       | ND           |
| N,N-Dimethylformamide | 30        | 88        | ND           | 1-Propanol               | 167       | 500       | ND           |
| 2,2-Dimethylpropane   | 167       | 500       | ND           | Pyridine                 | 7         | 20        | ND           |
| 1,4-Dioxane           | 13        | 38        | ND           | Tetrahydrofuran          | 24        | 72        | ND           |
| Ethanol               | 167       | 500       | ND           | Toluene                  | 30        | 89        | ND           |
| 2-Ethoxyethanol       | 6         | 16        | ND           | Trichloroethylene        | 3         | 8         | ND           |
| Ethyl Acetate         | 167       | 500       | ND           | Xylenes (o-, m-, and p-) | 73        | 217       | ND           |
| Ethyl Ether           | 167       | 500       | ND           |                          |           |           |              |
| Ethylbenzene          | 3         | 7         | ND           |                          |           |           |              |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Ryan Bellone  
Commercial Director  
Date: 07/02/2025



Tested By: Kelsey Rogers  
Scientist  
Date: 06/27/2025

## Certificate of Analysis

### CBD Industries

8845 Red Oak Blvd  
Charlotte North Carolina 28217 United States

|                            |   |                          |                                  |
|----------------------------|---|--------------------------|----------------------------------|
| <b>Sample Name:</b>        | <b>Mango Bliss D9 Seltzer OAS-12OZ-10 MG-MB</b> | <b>Eurofins Sample:</b>  | <b>15433553</b>                  |
| <b>Project ID</b>          | CBD_INDUST-20250619-0011                        | <b>Receipt Date</b>      | 25-Jun-2025                      |
| <b>PO Number</b>           | na  | <b>Receipt Condition</b> | Ambient temperature              |
| <b>Lot Number</b>          | MB03EL  | <b>Login Date</b>        | 19-Jun-2025                      |
| <b>Sample Serving Size</b> | 355 mL  | <b>Date Started</b>      | 30-Jun-2025                      |
| <b>Description</b>         | Mango Bliss D9 Seltzer OAS-12OZ-10MG-MB         | <b>Sampled</b>           | Sample results apply as received |
|                            |   | <b>Online Order</b>      | 901-2025-E053589                 |

| Analysis  | Result         |
|---|----------------|
| <b>Listeria Monocytogenes (BAX) PCR Detection</b> |                |
| Listeria monocytogenes                            | Negative /25 g |
| <b>Aerobic Plate Count</b>                        |                |
| Aerobic Plate Count                               | <100 CFU/g     |
| <b>E. coli</b>                                    |                |
| Escherichia Coli                                  | Absent /10 g   |
| <b>Salmonella USP</b>                             |                |
| Salmonella  | Absent /10 g   |
| <b>Yeast and Mold Count</b>                       |                |
| Yeast Count                                       | <10 CFU/g      |
| Mold Count  | <10 CFU/g      |
| Combined Yeast and Mold Count                     | <10 CFU/g      |

| Method References | Testing Location |
|-------------------|------------------|
|-------------------|------------------|

#### Aerobic Plate Count (USPC2021)

**Eurofins Micro Lab - Madison**  
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**\*\*Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.**

## Certificate of Analysis

### CBD Industries

8845 Red Oak Blvd  
Charlotte North Carolina 28217 United States

#### Method References

#### Testing Location

##### **E. coli (USPE2022)**

##### **Eurofins Micro Lab - Madison**

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**\*\*Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.**

##### **Listeria Monocytogenes (BAX) PCR Detection (LMONBAX)**

##### **EML New Berlin**

2345 S 170th St New Berlin, WI 53151 USA

United States Department of Agriculture, MLG 8A.04, "FSIS Procedure for the Use of *Listeria monocytogenes* Polymerase Chain Reaction (PCR) Screening Test," USDA-FSIS: Washington DC (03Aug2009),; DuPont Qualicon Bax System User Guide, Part Number 2CQ-049. 13-0717-V3.3, 2005-2013.

##### **Salmonella USP (USPS2022)**

##### **Eurofins Micro Lab - Madison**

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**\*\*Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.**

##### **Yeast and Mold Count (USPM2021)**

##### **Eurofins Micro Lab - Madison**

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**\*\*Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.**

## Certificate of Analysis

### CBD Industries

8845 Red Oak Blvd

Charlotte North Carolina 28217 United States

| Testing Location(s)   | Released on Behalf of Eurofins by                       |
|---|---|
| <b>Food Integrity Innovation-Madison</b><br><br>Eurofins Food Chemistry Testing Madison, Inc.<br>6304 Ronald Reagan Ave<br>Madison WI 53704<br>800-675-8375 | <b>Edward Ladwig - President Eurofins Food Chemistr</b> |

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.